

Telephone Transponder



Part #1302034

Provides room temperature set back signals to Steffes 2100 and 2000 series room units through telephone communication.

- Interfaces with a touch tone phone, with or without answering machine
- 120V plug-in cord
- Programmable to suit personal needs, including security
- Local or remote operation
- User-friendly, easy to use
- If using with a Steffes 3100, 4100 or 5100 series it must be used with the appropriate Aube thermostat

Remote Room Temperature Sensor

Provides remote room temperature information to Steffes 2100, 2000 and/or 1000 series room units.

- Replaces the heater's built-in room temperature sensor to monitor the temperature at a location in the room other than on the heater
- Available in configurations that control 1, 2, or 3 heaters simultaneously
- Direct wired to the heater using low voltage, 2-conductor cable



Part #1302024 (1 -heater)

Part # 1302042 (up to 3 heaters)

Outdoor Temperature Sensor



Part #1302044R

Provides outdoor temperature information to Steffes 2100, 2000 and/or 1000 series room units as well as Comfort Plus central systems for automatically regulating brick core temperature.

- Can be wired directly to the heater or to a Power Line Carrier (PLC) control system
- If direct wired to the heater, one sensor is needed for each heater
- If direct wired to a PLC control system, only one sensor is needed for the entire application
- Low voltage, 2-conductor cable
- Mounting bracket provided or can be mounted into a knockout using its 1/2" male pipe thread nipple

Time Clocks

Theben Brand Device: Provides low voltage peak control or room temperature setback signals directly to Steffes 2000 and 1000 series room units and Steffes Power Line Carrier Control systems.


Microprocessor Module: Provides peak control signals directly to 2100 series room units and Comfort Plus systems. Also can provide room temperature set back signals to the 2100 series room units.



Part #1301007R (115V)
Part #1301008R (230V)

- Operating Voltage 115V or 230V (specify when ordering)
- Seven-Day programmable with 28 Memory Locations
- Automatically adjusts to daylight savings time (if applicable)
- Override Capability
- Switching capacity - 10 AMPS/250VAC
- 4 year Lithium Battery Back-up
- Easily Installed on Din Rail
- Can be preprogrammed prior to installation (program and time settings retained for the life of the battery)

- Directly connected to heater's internal control board (one/heater)
- 5/2 Day programmable
- Allows up to 3 separate weekday and weekend peak time settings
- Provides up to 4 separate weekday and weekend room temperature set back time settings (room units only)
- Capacitor power back-up (3-days)



Part #1301014

ONE-YEAR MANUFACTURER'S LIMITED WARRANTY